AMPHIPATHIC &-HELIX

Whyprophobic residue Hydrophilic residue

HELICAL WHEEL




FIG. 1A

AMPHIPATHIC A-HELIX

HYDROPHOBIC RESIDUE

HYDROPHILIC RESIDUE

HELICAL NET





FIG.1B

AMPHIPATHIC A-HELIX

HYDROPHOBIC RESIDUE

HYDROPHILIC RESIDUE

HELICAL CYLINDER



1/14

FIG. 1C

ŕ.

WHYDROPHOBIC OR HYDROPHILIC (x_{12}) STRUCTURE (I) (X19) ж 8 (X_{15}) (χ_{22}) HYDROPHOBIC (X) HYDROPHILIC (X18) **X** WHYDROPHOBIC OR HYDROPHILIC × X22 STRUCTURE (I) HYDROPHOBIC) HYDROPHILIC (X12) (K) × × X₁₅ X12 MHYDROPHOBIC OR HYDROPHILIC , , , STRUCTURE (I) (X_{15}) (S) HYDROPHOBIC) HYDROPHILIC X22

X

X18


2/14

HYDROPHILIC FACE CENTERED F16.2C

HYDROPHOBIC FACE CENTERED FIG. 2B

HELICAL WHEEL

FIG.2A



Z

8

0

 \subseteq

FIG.3A





FIG.4A








FIG.6





f,

FIG. 7D







FIG.8A




The first of the first own the state of the first own when the first fir





And the first the first the first the first the first and the first that



PEPTIDE HELICES

DISCOIDAL PEPTIDE—PHOSPHOLIPID COMPLEX
LIPIDIC
MOLECULES

FIG. 10B